

WEST Search History

DATE: Monday, August 08, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=OR</i>		
<input type="checkbox"/>	L18	L17 and BIOS and (strip or stripping or stripped) and bottom and top	3
<input type="checkbox"/>	L17	345/419.ccls.	2085
<input type="checkbox"/>	L16	L13 and BIOS and (strip or stripping or stripped) and bottom and top	0
<input type="checkbox"/>	L15	L13 and BIOS and (strip or stripping or stripped) and bottom same line and top	0
<input type="checkbox"/>	L14	L13 and BIOS and (strip or stripping or stripped) and bottom same line and top same line	0
<input type="checkbox"/>	L13	font same emulat\$4	561
<input type="checkbox"/>	L12	L11 and font and (strip or stripping or stripped) and top and bottom same line and BIOS	1
<input type="checkbox"/>	L11	345/467.ccls.	729
<input type="checkbox"/>	L10	345/472.1.ccls.	25
<input type="checkbox"/>	L9	L8 and BIOS	6
<input type="checkbox"/>	L8	(strip or stripping or stripped) same top same bottom and first and second and (font or character\$1) and 345/\$.ccls.	132
<input type="checkbox"/>	L7	(strip or stripping or stripped) same top same bottom and first and second and (font or character\$1)	17011
<input type="checkbox"/>	L6	font same (strip or stripped or stripping) and bottom and top and BIOS	13
<input type="checkbox"/>	L5	L3 and simulat\$3 and strip\$5 and line same top same bottom	6
<input type="checkbox"/>	L4	L3 and simulat\$3 same strip\$5 same line same top same bottom	0
<input type="checkbox"/>	L3	(strip or stripping or stripped) and font and top and bottom and BIOS	209
<input type="checkbox"/>	L2	l1 and (strip or stripping or stripped or thin\$5) and font and top and bottom and BIOS	1
<input type="checkbox"/>	L1	345/471.ccls.	491

END OF SEARCH HISTORY

 PALM INTRANET

Day : Monday
Date: 8/8/2005
Time: 16:14:35

Inventor Name Search Result

Your Search was:

Last Name = GARRITSEN

First Name = FRIDO

Application#	Patent#	Status	Date Filed	Title	Inventor Name
60385003	Not Issued	159	06/01/2002	METHOD AND APPARATUS FOR HARDWARE ROTATION	GARRITSEN, FRIDO
11014074	Not Issued	030	12/15/2004	METHOD AND APPARATUS FOR HARDWARE ROTATION	GARRITSEN, FRIDO
10829589	6934794	150	04/21/2004	METHOD FOR PERFORMING FLASH MEMORY FILE MANAGEMENT	GARRITSEN, FRIDO
10177874	6847385	150	06/20/2002	METHOD AND APPARATUS FOR HARDWARE ROTATION	GARRITSEN, FRIDO
10062323	6732222	150	02/01/2002	METHOD FOR PERFORMING FLASH MEMORY FILE MANAGEMENT	GARRITSEN, FRIDO
09975464	6922759	150	10/04/2001	METHOD, SYSTEM AND APPARATUS FOR PLAYING SONGS DIRECTLY FROM A HARD DRIVE	GARRITSEN, FRIDO
09882540	Not Issued	061	06/15/2001	METHOD AND APPARATUS FOR REDUCING POWER CONSUMPTION IN A GRAPHICS CONTROLLER	GARRITSEN, FRIDO
09755902	Not Issued	071	01/03/2001	FONT EMULATION	GARRITSEN, FRIDO

Inventor Search Completed: No Records to Display.

Search Another: Inventor

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

automatically font emulation and stripping top and bottom line

Found 15,169 of 158,639

Sort results by

☒ [Save results to a Binder](#)
[Try an Advanced Search](#)

Display results

☒ [Search Tips](#)
[Try this search in The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Efficient web browsing on handheld devices using page and form summarization](#)

 January 2002 **ACM Transactions on Information Systems (TOIS)**, Volume 20 Issue 1

 Full text available: [pdf\(4.47 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

We present a design and implementation for displaying and manipulating HTML pages on small handheld devices such as personal digital assistants (PDAs), or cellular phones. We introduce methods for summarizing parts of Web pages and HTML forms. Each Web page is broken into text units that can each be hidden, partially displayed, made fully visible, or summarized. A variety of methods are introduced that summarize the text units. In addition, HTML forms are also summarized by displaying just the t ...

Keywords: PDA, Personal digital assistant, WAP, WML, forms, handheld computers, mobile computing, summarization, ubiquitous computing, wireless computing

2 [Seeing the whole in parts: text summarization for web browsing on handheld devices](#)

Orkut Buyukkokten, Hector Garcia-Molina, Andreas Paepcke

 April 2001 **Proceedings of the 10th international conference on World Wide Web**

 Full text available: [pdf\(1.48 MB\)](#)

 Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: PDA, WAP, handheld computers, mobile computing, personal digital assistant, summarization, ubiquitous computing, wireless computing

3 [Predicate rewriting for translating Boolean queries in a heterogeneous information system](#)

Chen-Chuan K. Chang, Héctor Garcia-Molina, Andreas Paepcke

 January 1999 **ACM Transactions on Information Systems (TOIS)**, Volume 17 Issue 1

 Full text available: [pdf\(350.96 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Searching over heterogeneous information sources is difficult in part because of the nonuniform query languages. Our approach is to allow users to compose Boolean queries in one rich front-end language. For each user query and target source, we transform the user


query into a subsuming query that can be supported by the source but that may return extra documents. The results are then processed by a filter query to yield the correct final results. In this article we introduce the architectur ...

Keywords: Boolean queries, content-based retrieval, filtering, predicate rewriting, query subsumption, query translation

- 4 The Visualage C++ for OS/2 User's Guide: a multi-writer, single-sourcing challenge
Michael Priestley, Laura Rintjema
February 1996 **Proceedings of the 13th annual international conference on Systems documentation: emerging from chaos: solutions for the growing complexity of our jobs**

Full text available:  pdf(831.24 KB) Additional Information: [full citation](#), [index terms](#)

- 5 The X window system
Robert W. Scheifler, Jim Gettys
April 1986 **ACM Transactions on Graphics (TOG)**, Volume 5 Issue 2

Full text available:  pdf(2.76 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)


An overview of the X Window System is presented, focusing on the system substrate and the low-level facilities provided to build applications and to manage the desktop. The system provides high-performance, high-level, device-independent graphics. A hierarchy of resizable, overlapping windows allows a wide variety of application and user interfaces to be built easily. Network-transparent access to the display provides an important degree of functional separation, without significantly affect ...

- 6 Fast detection of communication patterns in distributed executions
Thomas Kunz, Michiel F. H. Seuren
November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Full text available:  pdf(4.21 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

- 7 Technique for automatically correcting words in text
Karen Kukich
December 1992 **ACM Computing Surveys (CSUR)**, Volume 24 Issue 4

Full text available:  pdf(6.23 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Research aimed at correcting words in text has focused on three progressively more difficult problems: (1) nonword error detection; (2) isolated-word error correction; and (3) context-dependent word correction. In response to the first problem, efficient pattern-matching and n-gram analysis techniques have been developed for detecting strings that do not appear in a given word list. In response to the second problem, a variety of general and application-specific spelling cor ...

Keywords: n-gram analysis, Optical Character Recognition (OCR), context-dependent

spelling correction, grammar checking, natural-language-processing models, neural net classifiers, spell checking, spelling error detection, spelling error patterns, statistical-language models, word recognition and correction

- 8 A tour through cedar
Warren Teitelman
March 1984 **Proceedings of the 7th international conference on Software engineering**

Full text available:  pdf(2.08 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

- 9 Optimizing encoding: Optimization of html automatically generated by wysiwyg programs

Jacqueline Spiesser, Les Kitchen

May 2004 **Proceedings of the 13th international conference on World Wide Web**

Full text available:  pdf(129.59 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Automatically generated HTML, as produced by WYSIWYG programs, typically contains much repetitive and unnecessary markup. This paper identifies aspects of such HTML that may be altered while leaving a semantically equivalent document, and proposes techniques to achieve optimizing modifications. These techniques include attribute re-arrangement via dynamic programming, the use of style classes, and dead-code removal. These techniques produce documents as small as 33% of original size. The size decrease ...

Keywords: dynamic programming, haskell, html optimization, wysiwyg

- 10 Interactive Editing Systems: Part II

Norman Meyrowitz, Andries van Dam


September 1982 **ACM Computing Surveys (CSUR)**, Volume 14 Issue 3

Full text available:  pdf(9.17 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

- 11 Text-editing and photocomposing APL publications

Arlene E. Azzarello

September 1981 **ACM SIGAPL APL Quote Quad , Proceedings of the international conference on APL**, Volume 12 Issue 1

Full text available:  pdf(756.42 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Producing APL publications in a readable, pleasing, printed format is a challenging and time-consuming task. In an effort to get away from publishing APL documentation reproduced from typewriter terminal or line-printed output, I. P. Sharp Associates experimented with an interface between an APL text editor and a commercial photocomposing typesetter. Producing the Sharp APL Reference Manual [1] revealed some fundamental design issues which must be considered when constructing ...

- 12 Document architecture and text formatting

Arno J. H. Peels, Norbert J. M. Janssen, Wop Nawijn

October 1985 **ACM Transactions on Information Systems (TOIS)**, Volume 3 Issue 4

Full text available:  pdf(1.67 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


The formalization of the architecture of documents and text formatting are the central issues of this paper. Besides a fundamental and theoretical approach toward these topics,

an overview is presented of the COBATEF system. The COBATEF system is a context-based text formatting system, for which a software, as well as a hardware, implementation is available. A unique feature of the system is its automatic text-element recognition mechanism, which is context based and consequently ...

13 Distributed operating systems

Andrew S. Tanenbaum, Robbert Van Renesse

December 1985 **ACM Computing Surveys (CSUR)**, Volume 17 Issue 4

Full text available:  [pdf\(5.49 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Distributed operating systems have many aspects in common with centralized ones, but they also differ in certain ways. This paper is intended as an introduction to distributed operating systems, and especially to current university research about them. After a discussion of what constitutes a distributed operating system and how it is distinguished from a computer network, various key design issues are discussed. Then several examples of current research projects are examined in some detail ...

14 Pen computing: a technology overview and a vision

André Meyer

July 1995 **ACM SIGCHI Bulletin**, Volume 27 Issue 3

Full text available:  [pdf\(5.14 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

This work gives an overview of a new technology that is attracting growing interest in public as well as in the computer industry itself. The visible difference from other technologies is in the use of a pen or pencil as the primary means of interaction between a user and a machine, picking up the familiar pen and paper interface metaphor. From this follows a set of consequences that will be analyzed and put into context with other emerging technologies and visions. Starting with a short historic ...

15 Technical papers: program analysis: Efficient path conditions in dependence graphs

Torsten Robschink, Gregor Snelting

May 2002 **Proceedings of the 24th International Conference on Software Engineering**

Full text available:  [pdf\(1.18 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Program slicing combined with constraint solving is a powerful tool for software analysis. Path conditions are generated for a slice or chop, which --- when solved for the input variables --- deliver compact "witnesses" for dependences or illegal influences between program points. In this contribution we show how to make path conditions work for large programs. Aggressive engineering, based on interval analysis and BDDs, is shown to overcome the potential combinatoric explosion. Case studies and ...

16 Comic Chat

David Kurlander, Tim Skelly, David Salesin

August 1996 **Proceedings of the 23rd annual conference on Computer graphics and interactive techniques**

Full text available:  [pdf\(2.31 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: Internet, World Wide Web, automated presentation, chat programs, comics, graphical histories, illustration, non-photorealistic rendering, user interfaces, virtual worlds

17

Metamouse: specifying graphical procedures by example

David L. Maulsby, Ian H. Witten, Kenneth A. Kittlitz

July 1989 **ACM SIGGRAPH Computer Graphics , Proceedings of the 16th annual conference on Computer graphics and interactive techniques**, Volume 23 Issue 3

Full text available:  [pdf\(832.72 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Metamouse is a device enabling the user of a drawing program to specify graphical procedures by supplying example execution traces. The user manipulates objects directly on the screen, creating graphical tools where necessary to help make constraints explicit; the system records the sequence of actions and induces a procedure. Generalization is used both to identify the key features of individual program steps, disregarding coincidental events; and to connect the steps into a program graph, crea ...

18 A structural view of the Cedar programming environment

Daniel C. Swinehart, Polle T. Zellweger, Richard J. Beach, Robert B. Hagmann

August 1986 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 8 Issue 4


Full text available:  [pdf\(6.32 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper presents an overview of the Cedar programming environment, focusing on its overall structure—that is, the major components of Cedar and the way they are organized. Cedar supports the development of programs written in a single programming language, also called Cedar. Its primary purpose is to increase the productivity of programmers whose activities include experimental programming and the development of prototype software systems for a high-performance personal computer. T ...

19 Star graphics: An object-oriented implementation

Daniel E. Lipkie, Steven R. Evans, John K. Newlin, Robert L. Weissman

July 1982 **ACM SIGGRAPH Computer Graphics , Proceedings of the 9th annual conference on Computer graphics and interactive techniques**, Volume 16 Issue 3

Full text available:  [pdf\(955.07 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


The XEROX Star 8010 Information System features an integrated text and graphics editor. The Star hardware consists of a processor, a large bit-mapped display, a keyboard and a pointing device. Star's basic graphic elements are points, lines, rectangles, triangles, graphics frames, text frames and bar charts. The internal representation is in terms of idealized objects that are displayed or printed at resolutions determined by the output device. This paper describes the design and implementa ...

Keywords: Business graphics, Subclassing

20 Making a digital library: the contents of the CORE project

Richard Entlich, Jan Olsen, Lorrin Garson, Michael Lesk, Lorraine Normore, Stuart Weibel

April 1997 **ACM Transactions on Information Systems (TOIS)**, Volume 15 Issue 2

Full text available:  [pdf\(1.50 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The CORE (Chemical Online Retrieval Experiment) project is a library of primary journal articles in chemistry. Any library has an inside and an outside; in this article we describe the inside of the library and the methods for building the system and accumulating the database. A later article will describe the outside (user experiences). Among electronic-library projects, the CORE project is unusual in that it has both ASCII derived from typesetting and image data for all its pages, and amo ...

Keywords: image segmentation

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Mon, 8 Aug 2005, 4:46:06 PM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 (font emulation<in>metadata) <and> (stripping top line<in>...
- #2 (font emulation and bios<in>metadata) <and> (stripping top line&...
- #3 (bios <in>metadata) <and> (font emulating<in>metadata) &l...

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE ...

Indexed by
 Inspec®